

FUNCTIONAL FEATURES

	Miata	Shinsen Version	Miata LS	Miata SE
Engine				
1.8L DOHC 16-valve 4-cylinder engine with Variable Valve Timing (VVT)	•	•		-
Variable intake control system				
Exhaust				
Stainless steel sport-tuned exhaust system with single outlet	•	•		•
Drivetrain				
Rear-wheel drive	•	•		
5-speed manual overdrive transmission with short-throw shifter				
6-speed manual overdrive transmission with short-throw shifter			О	
4-speed electronically controlled automatic transmission	О	0	О	О
Limited-slip rear differential (not available for AT model)	O/P			
Power Plant Frame (PPF)				
Steering				
Power-assisted rack-and-pinion steering with engine-speed-sensing variable		_	_	_
assist		-		•
Power steering delete (special order only by ordering directly from the				
Regional office, cannot be combined with any packages or options)	О			
Front Suspension				
Independent double-wishbone	•	•	•	-
Special Sport Suspension w/Gas-filled Bilstein shock absorbers				
Gas-filled shock absorbers				
Sport Suspension w/Gas-filled Bilstein shock absorbers	P		P	
Stabilizer bar				
Shock tower brace				
Rear Suspension				
Independent double-wishbone suspension	-	•	•	
Special Sport Suspension w/Gas-filled Bilstein shock absorbers				
Gas-filled shock absorbers		•		
Sport Suspension w/Gas-filled Bilstein shock absorbers	P		P	
Stabilizer bar				
Brakes				
Power-assisted 4-wheel ventilated disc brakes	•	-	•	•
Anti-lock Brake System with EBD (ABS)			О	О

 \blacksquare = Standard

P = Package Option

O = Stand Alone Option



EXTERIOR FEATURES

	Miata	Shinsen Version	Miata LS	Miata SE
Body Type				
2-door convertible roadster				
Styling				
Door handles – body-color				
Bumpers – body-color				
Front air dam – body-color	A/O	A/O	A/O	A/O
Side sill extensions – body-color	A/O	A/O	A/O	A/O
Bezels - headlamp / taillamp	A/O	A/O	A/O	A/O
Rear spoiler with integral center brake light	A/O	A/O	A/O	A/O
Vinyl convertible top with glass window and vinyl boot cover – black				
Beige or black cloth convertible top w/glass window & vinyl boot cover				
Blue cloth convertible top with glass window and vinyl boot cover				
Gray cloth convertible top with glass window and vinyl boot cover				
Soft tonneau cockpit cover – black or parchment only	A/O	A/O	A/O	A/O
Windblocker™ antidraft panel with integral storage pouch				
Detachable hardtop with rear window – body-color	O/A	A	A	A
Detachable hardtop with rear window – body-color (deletes soft top)				
Bright logo badge: front / rear deck lid				
Bright Mazda badge: rear end right hand side				
Carline badge: rear of vehicle, left hand side				
Special Shinsen Version / SE badging				
Exterior-color touch-up paint	A	A	A	A
Aluminum hood – body-color				
Fuel door – body-color				
Fuel door – chrome-plated	A/O	A/O	A/O	
Convenience				
Rear deck luggage rack – chrome-plated	A	A	A	A
Car cover	A	A	A	A
Car-cover cable lock	A	A	A	A
Protective front mask	A	A	A	A
Front and rear mudguards	A/O	A/O	A/O	A/O

■ = Standard

P = Package Option

O = Stand Alone Option



EXTERIOR FEATURES

	Miata	Shinsen Version	Miata LS	Miata SE
Wheels		, , , , , , , , , , , , , , , , , , , ,		
16-inch alloy wheels				
16-inch alloy wheels unique design				
Alloy wheel locks				
Tires				
205/45R16 W-rated high-performance radial tires				
Temporary spare tire				
Lighting				
Fog lights - clear-lens halogen		-	•	•
Headlights - projector-type low beam				
Windows/Mirrors				
2-speed fixed-intermittent windshield wipers				
Solar-control tinted windshield with sunshade				
Window trim – black				
Dual power remote mirrors – body-color		•		

■ = Standard

P = Package Option

O = Stand Alone Option



INTERIOR FEATURES

Trim Levels

		Shinsen		
	Miata	Version	Miata LS	Miata SE
Trim				
Cloth-trimmed upholstery - black				
Cloth-trimmed upholstery - blue				
Leather-trimmed upholstery - black or parchment				
Leather-trimmed upholstery - gray				
Full carpeting				
Carpeted floor mats – front				
Fully carpeted trunk area with carpeted floor mat				
Power door locks	P			
Interior door handles – aluminum - like				
Door handles – black				
Window-switch panel – black	•			
Air vent bezels - aluminum - like				
Air vent bezels - black				
Map pockets on front doors	•			
3-spoke NARDI® steering wheel – leather-wrapped				
Shift knob – urethane automatic transmission	О		О	
Shift knob – leather wrapped automatic transmission		О		О
Shift knob - urethane 5-speed manual transmission	•			
Shift knob – Nardi leather wrapped 6-speed manual transmission			О	
Shift knob – Two-tone leather wrapped				
Shift plate bezel - aluminum - like				
Shift plate bezel - black	•			
Shift knob – wood	A	A	A	A
Four stitch shift knob boot				
Parking brake handle – urethane	•			
Parking-brake handle – wood	A	A	A	A
Parking-brake handle – leather				
Parking brake button – black	•			
Parking brake button – aluminum - like				
Aluminum foot pedals and foot rest				
Stainless steel scuff plates	A	A	A	
Slam lock				
Seating				
Reclining front bucket seats				
Integrated head restraints for front outboard seating positions				
Storage pocket on front passenger's seatback	•			
Windows				
Power windows with driver's one-touch-down feature	-			

 \blacksquare = Standard

P = Package Option

O = Stand Alone Option



INTERIOR FEATURES

Trim Levels

	Miata	Shinsen Version	Miata LS	Miata SE
Audio/Entertainment Systems				
AM/FM/CD audio system (modular)				
AM/FM + in-dash 6CD changer (modular)				
In-dash 6-CD changer (modular)	O/A	O/A	O/A	•
In-dash full-logic auto-reverse cassette player (modular)	O/A	O/A	O/A	O/A
In-dash MiniDisc player (modular)	O/A	O/A	O/A	O/A
2-speaker sound system				
Bose® 4-speaker sound system including separate tweeters				
Door mounted tweeter speakers	P			
Digital clock	•			
Speed-sensing automatic volume control				
Power radio antenna				
Climate Control				
Heater/defroster with 4-speed blower				
CFC-free air conditioning	•			
Rear window defogger				
Front side-window demisters	-			
Engine block heater	A	A	A	A
Instrument Panel				
Center-dash panel trim – wood-tone	A	A	A	A
Center-dash panel trim – aluminum - like				
Center-dash panel trim - black	-			
12-volt power outlet	•			
Cigarette lighter				
Ash tray				
Gauges & Warning Lights				
Tachometer				
Speedometer (140 mph)	-			
Odometer	•			
Resettable trip odometers (2)				
Coolant temperature gauge	-			
Water temp gauge				
Oil pressure gauge				
Battery charge indicator	-		•	
Warning lamps: parking brake, high-beam, check engine, oil pressure, battery				•
charge, seatbelts, airbags, fuel			-	-
White gauges with chrome bezels / black lettering	•			•
Red nighttime gauge illumination				

 \blacksquare = Standard

P = Package Option

O = Stand Alone Option



INTERIOR FEATURES

Trim Levels

		Shinsen		Miata
	Miata	Version	Miata LS	SE
Comfort / Convenience				
Lockable center console with storage				
Dual covered front cup holders				
Remote keyless illuminated entry system	P			
Remote trunk-lid release				
Remote fuel-door release				
Remote hood release				
Cruise control with turn-signal-lever-mounted controls	P			•
Day/night rearview mirror				
Passenger's visor vanity mirror				
Auto dimming mirror with compass and temperature readout	A/O	A/O	A/O	A/O
Locking glove compartment				
Power Door Locks	P			•
Cargo net	A/O	A/O	A/O	A/O
Lighting				
Trunk light				
Delayed courtesy dome light on windshield header				

 \blacksquare = Standard

P = Package Option

O = Stand Alone Option



SAFETY & SECURITY FEATURES		Trim	Levels		
	Miata	Shinsen Version	Miata LS	Miata SE	
Safety					
5-mph bumpers					
Side-impact door beams – front	•			•	
Dual second-generation front air bags supplemental restraint system					
Passenger-side air bag deactivation switch					
Child seat anchor				•	
Front safety-belt pretensioners with force limiters				•	
Security					
Engine immobilizer security system	-	-		•	
Antitheft perimeter alarm	A/O	A/O	A/O	A/O	
Internal trunk release system					
Keyless remote with panic feature	P			•	

 \blacksquare = Standard

P = Package Option

O = Stand Alone Option



OPTION PACKAGES

Trim Levels

	2.50	Shinsen		Miata
	Miata	Version	Miata LS	SE
Convenience Package				
- Tweeter speakers				
- Power door locks				
- Cruise control	OPT	STD	STD	STD
- Remote keyless entry system				
Note: Cannot be combined with the Cloth Suspension Package				
Suspension Package				
- Tochigi Fuji torque-sensing limited-slip differential				
- Bilstein shock absorbers	OPT			
Note: not available with the Convenience Package or automatic				
transmission				
Suspension Package				
- Bilstein shock absorbers			OPT	
- Available with 6-speed manual transmission and ABS only				
11 variable with 6 speed manual datismoston and 1125 only				



INTERIOR & EXTERIOR COLORS

INTERIOR	BLACK CLOTH	BLUE CLOTH (1)	GRAY LEATHER (2)	PARCHMENT LEATHER (3)	BLACK LEATHER (3)
Pure White	•			•	
Brilliant Black	•			•	•
Classic Red	•				
Midnight Blue Mica	•			•	
Sunlight Silver Metallic	•			•	•
Emerald Mica	•			•	
Splash Green Metallic	•				•
Strato Blue Mica			•		
Garnet Red Mica	•			•	
Titanium Gray Metallic		•			

⁽¹⁾ Blue cloth available w/ Miata Shinsen Version only

⁽²⁾ Gray leather available w/ Miata SE only

⁽³⁾ Black or Parchment leather available w/Miata LS only





Miata & Shinsen Version	<u>SHARED</u>	Miata LS & Miata SE
	1.8L DOHC 16-valve I-4 VVT	
	142 @ 7000	
	125 @ 5000	
	· ·	
	<u> </u>	
	Aluminum alloy	
	Catalyst	
	Distributorless Electronic	
	12V-80A	
	Maintenance-free, 12V-32AH / 5HR	
	12V-1.0 kW	
	RWD	
6MT	5MT	4EC-AT
3.760	3.136	2.450
2.269		1.450
		1.000
		0.730
		0.730
	0.814	
		2.222
3.909	4.300	4.100
Cloth & Shinsen Version	SHARED	LS & SE
		<u> </u>
	Independent Double Wishbone w/coil springs,	
	Independent Double Wishbone w/coil springs, stabilizer bar	
	stabilizer bar	
	stabilizer bar Independent Double Wishbone w/coil springs,	
	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar	
	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting	
	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled	
	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion	
	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion Engine-rpm sensing;variable power assist	
	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion Engine-rpm sensing;variable power assist 2.7	
	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion Engine-rpm sensing;variable power assist 2.7 30.2 ft.	
	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion Engine-rpm sensing;variable power assist 2.7 30.2 ft. Power assist w/dual diagonal hydraulic circuits	
	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion Engine-rpm sensing;variable power assist 2.7 30.2 ft.	
	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion Engine-rpm sensing;variable power assist 2.7 30.2 ft. Power assist w/dual diagonal hydraulic circuits	
	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion Engine-rpm sensing;variable power assist 2.7 30.2 ft. Power assist w/dual diagonal hydraulic circuits Ventilated disc: 10.6 inch	
	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion Engine-rpm sensing;variable power assist 2.7 30.2 ft. Power assist w/dual diagonal hydraulic circuits Ventilated disc: 10.6 inch Solid disc: 10.9 inch	
Not Available	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion Engine-rpm sensing;variable power assist 2.7 30.2 ft. Power assist w/dual diagonal hydraulic circuits Ventilated disc: 10.6 inch Solid disc: 10.9 inch	Optional
Not Available	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion Engine-rpm sensing;variable power assist 2.7 30.2 ft. Power assist w/dual diagonal hydraulic circuits Ventilated disc: 10.6 inch Solid disc: 10.9 inch	
Not Available	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion Engine-rpm sensing:variable power assist 2.7 30.2 ft. Power assist w/dual diagonal hydraulic circuits Ventilated disc: 10.6 inch Solid disc: 10.9 inch Mechanical on rear wheels	
Not Available	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion Engine-rpm sensing:variable power assist 2.7 30.2 ft. Power assist w/dual diagonal hydraulic circuits Ventilated disc: 10.6 inch Solid disc: 10.9 inch Mechanical on rear wheels	
Not Available	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion Engine-rpm sensing:variable power assist 2.7 30.2 ft. Power assist w/dual diagonal hydraulic circuits Ventilated disc: 10.6 inch Solid disc: 10.9 inch Mechanical on rear wheels 6 1/2JJ-16 aluminum alloy wheels 205/45R16 83W high performance	
Not Available	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion Engine-rpm sensing:variable power assist 2.7 30.2 ft. Power assist w/dual diagonal hydraulic circuits Ventilated disc: 10.6 inch Solid disc: 10.9 inch Mechanical on rear wheels 6 1/2JJ-16 aluminum alloy wheels 205/45R16 83W high performance	Optional SE features unique alloy wheels
Not Available	stabilizer bar Independent Double Wishbone w/coil springs, stabilizer bar Cylindrical Double-Acting Gas Filled Rack-and-pinion Engine-rpm sensing:variable power assist 2.7 30.2 ft. Power assist w/dual diagonal hydraulic circuits Ventilated disc: 10.6 inch Solid disc: 10.9 inch Mechanical on rear wheels 6 1/2JJ-16 aluminum alloy wheels 205/45R16 83W high performance	
	6MT	1.8L DOHC 16-valve I-4 VVT 142 @ 7000 125 @ 5000 7.000 to 8,000 RPM 1,839 / 1,839 83 x 85 / 3.27 X 3.35 10.0:1 Multi-port electronic fuel injection Premium Unleaded Regular Unleaded, 91 RON 4 valves per cylinder Iron Aluminum alloy Catalyst Distributorless Electronic 12V-80A Maintenance-free, 12V-32AH / 5HR 12V-1.0 kW BKR5E11, BKR6E11 / K16PR-U11, K20PR-U11 1.0 - 1.1 / 0.040 - 0.043 RWD 6MT SMT 3.760 3.760 3.136 2.269 1.888 1.645 1.330 1.257 1.000 1.000 0.814 0.843 3.564 3.578 3.909 4.300





CAPACITIES		
Miata & Shinsen Version	SHARED	Miata LS & Miata SE
Crankcase	4 qt.	
Coolant	6.01	
Fuel Capacity	12.7 gal.	
EPA Passenger Volume (cu. Ft.)	46.0	
EPA Cargo Volume (cu. Ft.)	5.1	
EPA Total Volume: Cargo volume + passenger volume (cu. Ft.)	51.1	
EPA Vehicle Size Category	Two - seater	

EPA Mileage, City/Highway	5MT: 23 / 28, 6MT: 23 / 28, 4AT: 22 / 28	
EXTERIOR DIMENSIONS		
Wheelbase	89.2 in.	
Track, Front	55.7 in.	
Track, Rear	56.7 in.	
Length	155.3 in.	
Width	66.1 in.	
Height	48.3 in.	
Minimum Ground Clearance (laden)	4.0 in.	
Weight Distribution % front/rear	50 / 50	
Coefficient of Drag (Cd)	0.37	
Frontal Area	22.3 sq. ft.	
Bumpers, front/rear mph crash test	5 mph	

INTERIOR DIMENSIONS		
Head Room	Front	37.1 in.
	Rear	not applicable
Leg Room	Front	42.8 in.
	Rear	not applicable
Shoulder Room Front		49.7 in.
	Rear	not applicable
Hip Room		49.2 in.